



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D3504-1

Job Sheet 195257



Part No: D3504-1

Job Qty: 100 pcs

Part Name: Crossbolt Spacer



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 5/16/19

Job Tracking No:

Due Date: 9/6/19

Created By: Kimberley Guerin

Type: Stock

Description:

Note: DWG REV C IPP Rev:A New Issue 06-06-20 JLM IPP Rev:B Rev C dwg 07-12-06 DD verified by:EC

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier	Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier Lead Time	
130	Purchasing	100 pcs	9/6/19	9/6/19	0.00	0.00	Purchasing - 1	
							Purchasing - 2	
							Purchasing - 3	
140	Packaging 2-1 - Receive - B4B	100 pcs	9/6/19	9/6/19	0.00	0.00	Packaging 2 - 1 - B4B	
							Packaging 2 - 2 - B4B	
							Packaging 2 - 3 - B4B	
							Packaging 2 - 5 - B4B	
							Packaging 2 - 4 - B4B	
							Packaging 2 - 6 - B4B	
							Packaging 2 - 7 - B4B	
							Packaging 2 - 8 - B4B	
							Packaging 2 - 9 - B4B	
							Packaging 2 - 10 - B4B	
							Packaging 2 - 11 - B4B	
							Packaging 2 - 12 - B4B	
							Packaging 2 - 13 - B4B	
							Packaging 2 - 14 - B4B	
							Packaging 2 - 15 - B4B	
							Packaging 2 - 16 - B4B	
							Packaging 2 - 17 - B4B	
							Packaging 2 - 18 - B4B	
							Packaging 2 - 19 - B4B	
							Packaging 2 - 20 - B4B	
							Packaging 2 - 21 - B4B	
							Packaging 2 - 22 - B4B	
							Packaging 2 - 23 - B4B	
							Packaging 2 - 24 - B4B	
							Packaging 2 - 25 - B4B	
							Packaging 2 - 26 - B4B	
							Packaging 2 - 27 - B4B	
							Packaging 2 - 28 - B4B	



Container No: S213143



Part: D3504-1

Job No: 195257

Serial No/Batch: S213143

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL: 1 613 632-5200
Email: sales@dartaero.com
www.dartaero.com


Date: 09/12/19

Plex 5/16/19 11:58 AM Dart.Guerin.Kimberley

				Packaging 2 - 29 - B4B	
				Packaging 2 - 30 - B4B	
				Packaging 2 - 31 - B4B	
				Packaging 2 - 32 - B4B	
				Packaging 2 - 33 - B4B	
				Packaging 2 - 34 - B4B	
				Packaging 2 - 35 - B4B	
				Packaging 2 - 36 - B4B	
150 QC 6	100 pcs	9/6/19	0.00 0.00	QC 6 - 9	
				QC 6 - 68	DAS
				QC 6 - 61	81
				QC 6 - 40	9-89
					SEP 17 2019
160 Packaging 3-1 - Stock - B4B	100 pcs	9/6/19	0.00 0.00	Packaging 3 - 1 - B4B	
				Packaging 3 - 2 - B4B	
				Packaging 3 - 3 - B4B	
				Packaging 3 - 4 - B4B	
				Packaging 3 - 5 - B4B	
				Packaging 3 - 6 - B4B	
				Packaging 3 - 7 - B4B	
				Packaging 3 - 8 - B4B	
				Packaging 3 - 9 - B4B	
				Packaging 3 - 10 - B4B	
				Packaging 3 - 11 - B4B	
				Packaging 3 - 12 - B4B	
				Packaging 3 - 13 - B4B	
				Packaging 3 - 14 - B4B	
				Packaging 3 - 15 - B4B	
				Packaging 3 - 16 - B4B	
				Packaging 3 - 17 - B4B	
				Packaging 3 - 18 - B4B	
				Packaging 3 - 19 - B4B	
				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	DL
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
170 QC 21 - SA	100 pcs	9/6/19	0.00 0.00	QC 21 - SA - 21	0-21
				QC 21 - SA - 70	0-00
				QC 21 - SA - 53	0-00
					SEP 18 2019
Part Op 130 - ISSUE P/O: _____ SUPPLIER: E.T.M. INDUSTRIES INC. MANUFACTURE AS PER DWG Descriptions: C OF C IS REQUIRED 160 - Identify as per dwg & Stock Location: _____ ***STOCK IN SKIDTUBE CELL*** 170 - QC21- Final Inspection - Work Order Release					
Job BOM					
Part / Item	Component Name	Quantity	Operation	Container	
D3504-1P	Crossbolt Spacer	100 (1 ea)	130-Purchasing	5213142	

Job Allocations					
Operation 130-Purchasing	Component Part D3504-1P	Required 100	Inventory 0	Allocated 0	
Part Specifications					
Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Crossbolt Spacer	0.500Inches + 0.006 - 0.001	0.506 0.499		
2	Crossbolt Spacer	0.049Inches ± 0.010	0.059 0.039		
3	Crossbolt Spacer	3.475Inches + 0.030 - 0.010	3.505 3.465		
4	Crossbolt Spacer	0.402Inches + 0.006 - 0.001	0.408 0.401		

Plex 5/16/19 11:58 AM Dart.Guerin.Kimberley



D3504-1/-3/-5 CROSS BOLT SPACER PARTS LIST

PART NUMBER	OD	WALL	LENGTH +0.030 -0.000	ID	MATERIAL SPEC	NOTE
D3504-1	0.500	0.049	3.475	0.402 (REF)	M6061T6T0.500W.049	SEE NOTE 1a)
D3504-3	0.375	0.049	3.475	0.277 (REF)	M6061T6T0.375W.049	SEE NOTE 1a)
D3504-5	0.750	0.080 (REF)	3.400	0.590	M6061T6R0.750	SEE NOTE 1b)

D3504-1/-3/-5 CROSS BOLT SPACER:

- 1) MATERIAL: a) 6061-T6 OR 6061-T62 TUBING
PER WW-T-700/6 OR AMS 4080 OR AMS 4082
OR QQ-A-200/8 OR QQ-A-225/8
(REF. DART SPEC. M6061T6TD.DDDW.TTT)
b) 6061-T6 (OR 6061-T651/T6510/T6511/T62) ROUND BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR
PER AMS-QQ-A-200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6R0.750)
- 2) FINISH: NONE
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: NONE
7) WEIGHT: N/A

RELEASED
07.11.16

C	ADD -5	DC	07.09.19
B	3.475 WAS 3.400	PH	06.11.01
A	NEW ISSUE	PH	06.04.21
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	PH	DRAWING NO.	REV. C
MFG. APPR.	PH	D3504	SHEET 1 OF 1
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	CROSS BOLT SPACER	NTS
DATE	07.09.19	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **POHB043485**



REVISED

Supplier: ETM001-VC
E.T.M. Industries Inc.
310 Hall Avenue, Box 610
Renfrew
ON
K7V 4E7 Canada
Phone: 613-432-6136
Fax: 613-432-8212

PO No: POHB043485
PO Date: 5/16/19
Due Date: 9/6/19
Purchase Order
Revision:
Revision Date:
Ship-To Contact: Guerin, Kimberley
Phone: 613-632-5200 Ext: 298
kguerin@dartaero.com

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pymt Terms: Net 30
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	195251	D3490-5P			Crossbolt Spacer : as per Dwg D3490-5P RevA	Firmed	-	9/6/19	100 Ea	0 Ea	100 Ea	\$3.45/Ea	\$345.00
						X100		AUG 30 2019				DP	
Line Item Note: Material WW-T-700/6 can be use													
2	195252	D4170-1P			Bushing : as per Dwg D4170-1P RevB	Firmed	-	9/6/19	100 Ea	0 Ea	100 Ea	\$4.50/Ea	\$450.00
						X100		AUG 30 2019				DP	
3	195253	D2971P			Crossbolt Spacer : as per Dwg D2971 RevA1	Firmed	-	9/6/19	50 Ea	0 Ea	50 Ea	\$6.25/Ea	\$312.50
						X50		SEP 12 2019				DP	
4	195256	D2973P			Crossbolt Spacer : as per Dwg D2973 RevA	Firmed	-	9/6/19	30 Ea	0 Ea	30 Ea	\$18.50/Ea	\$555.00
						X30		SEP 12 2019				DP	
5	195257	D3504-1P			Crossbolt Spacer : as per Dwg D3504-1 RevC	Firmed	-	9/6/19	100 Ea	0 Ea	100 Ea	\$4.75/Ea	\$475.00
						X100		SEP 12 2019				DP	

Plex 8/22/19 8:54 AM Dart.Guerin.Kimberley



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 832-5200

PURCHASE ORDER

POHB043485



Items													
Line Item	Job	Part	Supplier Part No	Item No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
6	195258	D3504-3P			Crossbolt Spacer : as per Dwg D3504-3 RevC	Firmed	-	9/6/19	30 Ea	0 Ea	30 Ea	\$12.50/Ea	\$375.00

Order Notes

Procurement Quality Clauses
 A005 RIGHT OF ENTRY
 A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)
 A012 CHEMICAL AND PHYSICAL TEST REPORTS
 A016 PERSONNEL QUALIFICATION
 A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
 A026 CERTIFICATION OF MATERIAL CONFORMANCE
 A041 QUALITY MANAGEMENT SYSTEM
 A042 DART NOTIFICATION BY SUPPLIER
 A043 RETENTION OF QUALITY DOCUMENT
 A048 COUNTERFEIT PARTS AVOIDANCE, DETECTION, MITIGATION AND DISPOSITION PROGRAM
 A049 SUPPLIER AWARENESS

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 8/22/19 8:54 AM Dart.Guerin.Kimberley

E.T.M. INDUSTRIES INC.
310 HALL AVENUE
BOX 610
RENFREW, ON K7V 4E7
Canada

Ph: 613-432-6136

Fax: 613-432-8212

Pack List

Number: 143985

Date: 03-Sep-19

To

DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

Ship To


DART AEROSPACE
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
Canada

Ph: 613-632-5200

Fax: 613-632-5246

Ph: 613-632-5200

Fax: 613-632-5246

Terms		Ship Via	
Net 30 days			
Quantity	Description		
100 each	Part: D3504-1P CROSSBOLT SPACER SO: 25663 **LOT #107190	Rev: C	PO: POHB043485 Line: 005
CERTIFICATE OF COMPLIANCE: "I hereby certify that the material described above is in conformance with applicable physical and dimensional specifications; that it was manufactured in accordance with applicable process specifications; and has been inspected to verify conformance to those specifications."  APPROVED SIGNATORY (QUALITY ASSURANCE) RECEIVED SEP 11 2019 DART AEROSPACE LTD.			

ETM Industries Inc

Page 1 of 3

AS9102 Revision B First Article Inspection

Form 1: Part Number Accountability

1. Part Number D3504-1P	2. Part Name CROSSBOLT SPACER	3. Serial Number N/A	4. FAI Number N/A
5. Part Revision Level REV. C	6. Drawing Number D3504	7. Drawing Revision Level REV.C	8. Additional Changes N/A
9. Manufacturing Process Reference 107190	10. Organization Name ETM Industries Inc.	11. Supplier Code N/A	12. P.O. Number POHB043485, LN005
13. Detail FAI ☒ Assembly FAI	14. Full FAI ☒ Partial FAI <i>Reason for Partial FAI:</i> Not Applicable	Baseline Part Number including Revision Level N/A	
a) If above part number is a detail part only, go to Field 19 b) If above part number is an assembly, go to the "Index" section below.			
INDEX of part numbers or sub assembly numbers required to make the assembly noted above.			
15. Part Number N/A	16. Part Name N/A	17. Part Serial Number N/A	18. FAI Report Number N/A

1) Signature indicates that all characteristics are accounted for; meet drawing requirements or are properly documented for disposition.	
2) Also indicate if the FAI is complete per Section 5.4: ☒ FAI Complete ☐ FAI Not Complete	
19. Signature Mike Morin	20. Date 8/28/19
21. Reviewed by	22. Date
23. Customer Approval	24. Date

ETM Industries Inc

Page 2 of 3

AS9102 Revision B First Article Inspection

Form 2: Product Accountability – Raw Material, Specifications and Special Process(es),
Functional Testing

1. Part Number D3504-1P	2. Part Name CROSSBOLT SPACER	3. Serial Number N/A			4. FAI Report Number N/A
5. Material or Process – Name	6. Specification Number	7. Code	8. Special Process Supplier Code	9. Customer Approval Verification (Yes/No/N/A)	10. Certificate of Conformance Number
MAKE FROM; ALUMINUM TUBING	6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8 (REF DART SPEC M6061T6TD.DDDW.TTT)	N/A	N/A	N/A	KAISER ALUMINUM FABRICATED PRODUCTS: Cert#F00289719
11. Functional Test Procedure Number	12. Acceptance report number, if applicable				
Not Applicable	Not Applicable				
13. Comments					
14. Prepared By Mike Morin			15. Date 8/28/19		

1. Part Number D3504-1P		2. Part Name CROSSBOLT SPACER		3. Serial Number N/A		4. FAI Report N/A	
Characteristic Accountability				Inspection / Test Results			
5. Char. No.	6. Reference Location	7. Characteristic Designator	8. Requirement	9. Results	10. Designated Tooling	11. Non Conformance Number	14. Reference Documents
1	SHEET 1 of 1	N/A	6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8 (REF DART SPEC M6061T6TD.DDDW.TTT)	ACCEPT	KAISER ALUMINUM FABRICATED PRODUCTS: Cert#F00289719	N/A	C of C # F00289719
2	SHEET 1 of 1	N/A	TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED	ACCEPT	VERIFY	N/A	N/A
3	SHEET 1 of 1	N/A	UNITS: INCHES UNLESS OTHERWISE NOTED	ACCEPT	VERIFY	N/A	N/A
4	SHEET 1 of 1	N/A	BREAK SHARP EDGES: 0.005 TO 0.010 MAX	ACCEPT	VERIFY	N/A	N/A
5	SHEET 1 of 1	N/A	3.475±0.030/-0.000	3.490	Vernier	N/A	N/A
6	SHEET 1 of 1	N/A	0.049 ±0.010	.049	Vernier	N/A	N/A
7	SHEET 1 of 1	N/A	0.500 ±0.010	0.500	Micrometer	N/A	N/A

The signature indicates that all characteristics are accounted for; meet drawing requirements or are properly documented for disposition.

12. Prepared By

Mike Morin

13. Date

8/28/19

KAISER ALUMINUM FABRICATED PRODUCTS

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85225

CUSTOMER PART NUMBER:		CUSTOMER PART NUMBER:		PRODUCT DESCRIPTION:		
IM49397749-1		42252		Drawn Seamless Tube/Pipe		
KAISER ORDER NUMBER:	LINE ITEM:	SHIP DATE:	KAISER LOT NUMBER:	ALLOY:	TEMPER:	
227680	001	01/14/2019	F00289719	6061	T6	
WEIGHT SHIPPED:	QUANTITY:	PCS UNBLENDED:	DIAMETER THICKNESS:	WIDTH:	LENGTH:	
1483.000 LB	495.000 PCS	230.241			12.000 FT	
SHIP TO:			SOLD TO:			
TW METALS INC 235 WEST TUBESWAY DRIVE CAROL STREAM, IL 60188 USA			TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA			

**DAS
81
8-89**

Actual Physical Properties


REFERENCE	CASE#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONTRACTS	BEND
F00289719	0001	0001	61.2	35.8	22.5	N/A	N/A	N/A
F00289719	0002	0001	60.2	35.8	20.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.30	0.70	0.40	0.35	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.30	0.30	0.00	0.00	0.00	NA	NA	NA	0.00	0.00
D22452	.58	.24	.21	.03	.93	.00	.04	.02	.00	.00	.00	.01	.02

Applicable Requirements:

Description: OD: 0.5000"; Wall: 0.049"; End @
FMS4082P AMS-WW-T-790/6C ASTM B221-12 WW-T-790/6F
WE TAKE EXCEPTION TO PARA. 5.2.1.1 OF AMS 4082P, WAS NOT OILED.
This Product Complies to FAR BAA (FAR 52.225-5) FAR TAA
COMPLIES TO DFN EN 10204 JAN 2100
No Toxic Reptar. Mercury Free.



Additional Remarks

MATERIAL FABRICATED IN USA MELTED IN USA
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-5 BUY AMERICAN ACT- SUPPLIES), DFARS BAA
(DFARS 25.225-7001 BUY AMERICAN ACT- SUPPLIES), AND FAR TAA (FAR 52.225-5
TRADE AGREEMENTS)

Plant Serial: 00030570
Kaiser Order Number: 227680
Line Item: 001

KAISER

ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226


CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION


Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order has been inspected and tested and found in accordance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgment form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Matthew Stevens, Quality Manager



Plant Serial: 00030570
Kaiser Order Number: 227680
Line Item: 001

CONTROLLED COPY



D3504-1/-3/-5 CROSS BOLT SPACER PARTS LIST

PART NUMBER	OD	WALL	LENGTH +0.030 -0.000	ID	MATERIAL SPEC	NOTE
D3504-1	0.500 ⁷	0.049 ⁶	3.475 ⁵	0.402 (REF)	M6061T6T0.500W.049	SEE NOTE 1a)
D3504-3	0.375	0.049	3.475	0.277 (REF)	M6061T6T0.375W.049	SEE NOTE 1a)
D3504-5	0.750	0.080 (REF)	3.400	0.590	M6061T6R0.750	SEE NOTE 1b)



D3504-1/-3/-5 CROSS BOLT SPACER:

- 1) MATERIAL: a) 6061-T6 OR 6061-T62 TUBING
PER WW-T-700/6 OR AMS 4080 OR AMS 4082
OR QQ-A-200/8 OR QQ-A-225/8
(REF. DART SPEC. M6061T6TD.DDDW.TTT)
b) 6061-T6 (OR 6061-T651/T6510/T6511/T62) ROUND BAR
PER AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116) OR
PER AMS-QQ-A-200/8 (OR AMS 4160)
(REF. DART SPEC. M6061T6R0.750)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A

RELEASED
07.11.16

C	ADD -5	DC	07.09.19
B	3.475 WAS 3.400	PH	06.11.01
A	NEW ISSUE	PH	06.04.21
REV.	DESCRIPTION	BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	DC		
CHECKED	PH	DRAWING NO.	REV. C
MFG. APPR.	PH	D3504	SHEET 1 OF 1
APPROVED	PH	TITLE	SCALE
DE APPR.	PH	CROSS BOLT SPACER	NTS
DATE	07.09.19	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	